

Material Safety Data Sheet



Renovate OTF

1. Product and company identification

Product name	: Renovate OTF
EPA Registration Number	: 67690-42
Material uses	: Aquatic herbicide.
Supplier/Manufacturer	: SePRO Corporation 11550 North Meridian Street Suite 600 Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-428-4577 Monday - Friday, 8am to 5pm E.S.T. www.sepro.com
Responsible name	: Atrion Regulatory Services, Inc.
In case of emergency	: INFOTRAC - 24-hour service 1-800-535-5053

2. Hazards identification

Physical state	: Solid. [Granular solid.]
Odor	: Ammoniacal.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Emergency overview	: WARNING! MAY CAUSE ALLERGIC RESPIRATORY REACTION. MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE. Moderately irritating to the eyes and respiratory system. May cause sensitization by inhalation. Avoid contact with eyes, skin and clothing. Contains material that can cause target organ damage. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.
Routes of entry	: Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects	
Inhalation	: Moderately irritating to the respiratory system. May cause sensitization by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Ingestion	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Eyes	: Moderately irritating to eyes.
Potential chronic health effects	
Chronic effects	: Contains material that can cause target organ damage. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Target organs	: Contains material which causes damage to the following organs: upper respiratory tract, stomach. Contains material which may cause damage to the following organs: lungs, skin.
Over-exposure signs/symptoms	
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing wheezing and breathing difficulties asthma

- Ingestion** : No specific data.
- Skin** : No specific data.
- Eyes** : Adverse symptoms may include the following:
irritation
watering
redness
- Medical conditions aggravated by over-exposure** : Pre-existing respiratory disorders and disorders involving any other target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (section 11)

3 . Composition/information on ingredients

United States			
Name	CAS number	%	
Active ingredient:			
Triclopyr TEA Salt	57213-69-1	10 - 30	
Inert ingredient:			
Proprietary Fiber	Proprietary	30 - 60	
Proprietary Clay	Proprietary	5 - 10	
Proprietary Salt	Proprietary	5 - 10	
Titanium dioxide	13463-67-7	0.1 - 1	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

4 . First aid measures

- Eye contact** : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention if symptoms occur.
- Skin contact** : Wash with soap and water. Get medical attention if symptoms occur.
- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms appear.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms appear.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

5 . Fire-fighting measures

- Flammability of the product** : May be combustible at high temperature.
- Extinguishing media**
- Suitable** : In case of fire, use water spray (fog), foam, dry chemical or CO₂.
- Not suitable** : None known.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
halogenated compounds
metal oxide/oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up**
- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7 . Handling and storage

- Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Persons with a history of asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8 . Exposure controls/personal protection

	United States
Product name	Exposure limits
Proprietary Fiber	<p>ACGIH TLV (United States, 1/2008). TWA: 10 mg/m³ 8 hour(s).</p> <p>NIOSH REL (United States, 12/2001). TWA: 5 mg/m³ 10 hour(s). Form: Respirable fraction TWA: 10 mg/m³ 10 hour(s). Form: Total</p> <p>OSHA PEL (United States, 11/2006). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust</p>
Proprietary Clay	<p>ACGIH TLV (United States, 1/2008). TWA: 2 mg/m³ 8 hour(s). Form: Respirable fraction</p> <p>NIOSH REL (United States, 12/2001). TWA: 5 mg/m³ 10 hour(s). Form: Respirable fraction TWA: 10 mg/m³ 10 hour(s). Form: Total</p> <p>OSHA PEL (United States, 11/2006). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust</p>
Proprietary Salt	<p>OSHA PEL (United States, 11/2006). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust</p>
Titanium dioxide	<p>OSHA PEL (United States, 11/2006). TWA: 15 mg/m³ 8 hour(s). Form: Total dust</p> <p>ACGIH TLV (United States, 1/2008). TWA: 10 mg/m³ 8 hour(s).</p>

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Applicators should refer to the product label for personal protective clothing and equipment.

Applicators should refer to the product label for personal protective clothing and equipment.

Engineering measures : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protection

Eyes : Safety glasses.

Skin : Lab coat.

Respiratory : Disposable particulate mask

Hands : Nitrile gloves.

Personal protective equipment (Pictograms)

HMIS Code/Personal protective equipment : E

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9 . Physical and chemical properties

Physical state : Solid. [Granular solid.]

Color : Creamy grayish-tan.

Odor : Ammoniacal.

Bulk density : 37 to 50 lbs/ft³

pH : 20.5 [Conc. (% w/w): 1%]

10 . Stability and reactivity

Stability : The product is stable.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Conditions to avoid : No specific data.

Materials to avoid : Reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition products : Nitrogen oxides and hydrogen chloride may be formed under fire conditions.

11 . Toxicological information**Acute toxicity**

Product/ingredient name	Species	Dose	Result	Exposure
Proprietary Fiber	Rabbit	>2 g/kg	LD50 Dermal	-
	Rat	>5 g/kg	LD50 Oral	-
Proprietary Salt Renovate OTF	Rat	6450 mg/kg	LD50 Oral	-
	Rat	5000 mg/kg	LD50 Dermal	-
	Rat	5000 mg/kg	LD50 Oral	-

- Inhalation** : Moderately irritating to the respiratory system. May cause sensitization by inhalation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : No known significant effects or critical hazards.
- Skin** : No known significant effects or critical hazards.
- Eyes** : Moderately irritating to eyes.

Carcinogenicity**Classification**

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Proprietary Clay	A4	-	-	-	-	-
Titanium dioxide	A4	2B	-	None.	-	-

12 . Ecological information

Aquatic ecotoxicity

Product/ingredient name	Test	Species	Exposure	Result
Triclopyr TEA Salt	-	Daphnia -	48 hours	Acute EC50 1496 ppm
	-	Fish - Juvenile (Fledgling, Hatchling, Weanling)	96 hours	Acute LC50 420000 ug/L
Proprietary Salt	-	Daphnia - Neonate	48 hours	Acute LC50 1170000 to 1340000 ug/L
	-	Fish	96 hours	Acute LC50 >56000000 ug/L
Titanium dioxide	-	Daphnia	48 hours	Acute EC50 >1000000 ug/L
	-	Fish	96 hours	Acute LC50 >1000000 ug/L

13 . Disposal considerations

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14 . Transport information

- AERG** : Not applicable.

Regulatory information

- DOT/IMDG/IATA** : Not regulated.

15 . Regulatory information

United States

- HCS Classification** : Irritating material
Sensitizing material
Target organ effects
- U.S. Federal regulations** : **United States inventory (TSCA 8b)**: All components listed.

SARA 302/304/311/312 extremely hazardous substances : No products were found.

SARA 302/304 emergency planning and notification : No products were found.

SARA 302/304/311/312 hazardous chemicals : Proprietary Clay; Proprietary Salt; Titanium dioxide

SARA 311/312 MSDS distribution - chemical inventory - hazard identification : Proprietary Clay: Delayed (chronic) health hazard; Proprietary Salt: Immediate (acute) health hazard; Titanium dioxide: Delayed (chronic) health hazard

Clean Water Act (CWA) 307: No products were found.

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention : No products were found.

Clean Air Act (CAA) 112 regulated flammable substances : No products were found.

Clean Air Act (CAA) 112 regulated toxic substances : No products were found.

SARA 313

	Product name	CAS number	Concentration
Form R - Reporting requirements	: Triclopyr TEA Salt	57213-69-1	10 - 30
Supplier notification	: Triclopyr TEA Salt	57213-69-1	10 - 30

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

State regulations

- Connecticut Carcinogen Reporting**: None of the components are listed.
- Connecticut Hazardous Material Survey**: None of the components are listed.
- Florida substances**: None of the components are listed.
- Illinois Chemical Safety Act**: None of the components are listed.
- Illinois Toxic Substances Disclosure to Employee Act**: None of the components are listed.
- Louisiana Reporting**: None of the components are listed.
- Louisiana Spill**: None of the components are listed.
- Massachusetts Spill**: None of the components are listed.
- Massachusetts Substances**: The following components are listed: Proprietary Fiber; Titanium dioxide
- Michigan Critical Material**: None of the components are listed.
- Minnesota Hazardous Substances**: None of the components are listed.
- New Jersey Hazardous Substances**: The following components are listed: Titanium dioxide
- New Jersey Spill**: None of the components are listed.
- New Jersey Toxic Catastrophe Prevention Act**: None of the components are listed.
- New York Acutely Hazardous Substances**: None of the components are listed.
- New York Toxic Chemical Release Reporting**: None of the components are listed.
- Pennsylvania RTK Hazardous Substances**: The following components are listed: Proprietary Fiber; Proprietary Clay; Titanium dioxide
- Rhode Island Hazardous Substances**: None of the components are listed.

California Prop. 65

No products were found.

United States inventory (TSCA 8b)

- : All components listed.

International regulations

International lists

- : This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16 . Other information

Label requirements : MAY CAUSE ALLERGIC RESPIRATORY REACTION. MAY CAUSE RESPIRATORY TRACT AND EYE IRRITATION. CONTAINS MATERIAL THAT CAN CAUSE TARGET ORGAN DAMAGE.

Hazardous Material Information System (U.S.A.) :

HAZARD RATINGS

Health	*	1
Fire hazard		0
Physical Hazard		0
Personal protection		E

4- Extreme
 3- Serious
 2- Moderate
 1- Slight
 0- Minimal
 See section 8 for more detailed information on personal protection.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.) :



References : ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG.

Date of issue : 01/15/2009

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The data in this MSDS relates only to the specific material designated herein. Possible adverse effects (see Section 2, 11 and 12) may occur if this material is not handled in the recommended manner.

**This page has
been
intentionally left
blank**